

Trane Super NANO COOLANT

Premium grade radiator coolant with advance ORGANIC NANO TECHNOLOGY that guarantees long-life protection of your engines and keeps your engines cool and running smoothly:

Provides long life protection, for up to 2 years or 100,000 km. Protects against rust and corrosion of all metals in modern engines including steel, cast iron, aluminum, brass and copper. Protects against scaling and deposits which can block your engine cooling system. Protects against extreme conditions - overheating and freezing temperatures. Prolongs life of hoses, seals and other cooling system components, reducing water pump failure. Compatible with other radiator coolant and suitable for all types of vehicles.

Added Protection: Does not contain any amines, borates and silicates that are harmful to engines, radiators and water pumps

Available colors: Green, Pink, Blue

Sizes: 25L, 5L, 1L

Technical Information:

| No. | TEST ITEMS | UNIT | STANDARD | SPEC. | SPEC. | SPEC. |
|-----|-------------------|------|-------------|-------------------|------------------|------------------|
| | | | TEST METHOD | TRANE SUPER NANO | TRANE SUPER NANO | TRANE SUPER NANO |
| | | | | COOLANT (G) | COOLANT (P) | COOLANT (B) |
| 1 | COLOR | 1 | VISUAL | FLUORESCENT GREEN | FLUORESCENT PINK | BLUE |
| 2 | DENSITY @ 15 oC | kg/L | ASTM D 4250 | 1.040 - 1.080 | 1.040 - 1.080 | 1.040 - 1.080 |
| 3 | DENSITY @ 20 oC | kg/L | ASTM D 4250 | 1.030 - 1.070 | 1.030 - 1.070 | 1.030 - 1.070 |
| 4 | VISCOSITY @ 40 oC | cSt | ASTM D 445 | 1 - 3 | 1 - 3 | 1 – 3 |
| 5 | BOILING POINT | оС | ASTM D 1120 | 105 - 115 | 105 – 115 | 105 – 115 |
| 6 | рН | - | ASTM D1287 | 6 – 11 | 6 - 11 | 6 – 11 |
| 7 | POUR POINT | оС | ASTM D6749 | - 25 MAX. | - 25 MAX. | - 25 MAX. |